



Sheet 1 of 4

Form PTO-1449  
(REV. 8-83)US Dept. of Commerce  
PATENT & TRADEMARK OFFICEATTY DOCKET NO.  
111664APPLICATION NO.  
10/030,937

## INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

APPLICANTS  
Dominique ROECKLIN et al.FILING DATE  
May 24, 2002

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS
<i>L</i>	1	5,876,954	03/02/1999	Perron et al.	435	23

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS
<i>L</i>	2	JP A 8-308582	11/26/1996	Japan	—	—
<i>L</i>	3	CA 2,214,843	04/30/1999	Canada	—	—
<i>L</i>	4	WO 97/33466	09/18/1997	Wipo WO	—	—
<i>L</i>	5	WO 90/07712	07/12/1990	Wipo WO	—	—
<i>L</i>	6	WO 98/11439	03/19/1998	Wipo WO	—	—

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

<i>L</i>	7	Rieger et al., "Un facteur gliotoxique et la sclerose en plaques", C.R. Acad. Sci. Paris, Sciences de la vie/Life sciences, XP 000602023, pp. 343-350, 1996
<i>L</i>	8	Kisilevsky et al., "Arresting amyloidosis <i>in vivo</i> using small-molecule anionic sulphonates or sulphates: implications for Alzheimer's disease", Nature Medicine, Vol. 1, No. 2, pp.143-148, 1995
<i>L</i>	9	Conzelmann et al., "Purification and Characterization of an Activator Protein for the Degradation of Glycolipid GM <sub>2</sub> and GA <sub>2</sub> by Hexosaminidase A", Hoppe-Seyler's Z. Physiol. Chem., pp. 1837-1849, 1979, vol. 360
<i>L</i>	10	Hitomi et al., "A novel calcium-binding protein in amniotic fluid, CAAF1: its molecular cloning and tissue distribution", Journal of Cell Science, pp. 805-815, 1996, vol. 109
<i>L</i>	11	Raftery et al., "Isolation of the murine S100 protein MRP14 (14 kDa migration-inhibitory-factor-related protein) from activated spleen cells: characterization of post-translational modifications and zinc binding", Biochem J., pp. 285-293, 1996, vol. 316
<i>L</i>	12	Kase et al., "Only sphingolipid activator protein B (SAP-B or saposin B) stimulates the degradation of globotriaosylceramide by recombinant human lysosomal $\alpha$ -galactosidase in a detergent-free liposomal system", FEBS Letters, pp. 74-76, 1996, vol. 363
<i>L</i>	13	Bierfreund et al., "Recombinant GM2-Activator Protein Stimulates <i>In Vivo</i> Degradation of GA <sub>2</sub> in GM2 Gangliosidosis AB Variant Fibroblasts But Exhibits No Detectable Binding of GA <sub>2</sub> in an <i>In Vitro</i> Assay", Neurochemical Research, Vol. 24, No. 2, pp. 295-300, 1999
<i>L</i>	14	Longbottom et al., "Subunit structure of calgranulins A and B obtained from sputum, plasma, granulocytes and cultured epithelial cells", Biochimica et Biophysica Acta, pp. 215-222, 1992, vol. 1120
<i>L</i>	15	Raftery et al., "Overexpression, Oxidative Refolding, and Zinc Binding of Recombinant Forms of the Murine S100 Protein MRP14 (S100A9)", Protein Expression and Purification, pp. 228-235, 1999, vol. 15
<i>L</i>	16	Klemp et al., "The heterodimer of the Ca <sup>2+</sup> -binding proteins MRP8 and MRP14 binds arachidonic acid", FEBS Letters, pp. 81-84, 1997, vol. 408

Date: June 4, 2002

2/26/06



OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)		
✓		et al., "Colorimetric diagnosis of prolonged bluetongue viremia in sheep, using an enzyme-linked oligonucleotide sorbent assay of amplified viral nucleic acids", Am J Vet Res, Vol. 54, No. 12, pp. 2021-2026, 1993
✓	18	Toes et al., "Protective anti-tumor immunity induced by vaccination with recombinant adenoviruses encoding multiple tumor-associated cytotoxic T lymphocyte epitopes in a string-of-beads fashion", Proc. Natl. Acad. Sci., Vol. 94, pp. 14660-14665, 1997
✓	19	Bird et al., "Single-Chain Antigen-Binding Proteins", Science Reports, pp. 423-426, 1988, vol. 2/2
✓	20	Arakawa et al., "Cloning and Sequencing of the V <sub>H</sub> and V <sub>L</sub> Genes of an Anti-CD3 Monoclonal Antibody, and Construction of a Mouse/Human Chimeric Antibody", J. Biochem, pp. 657-662, Vol. 120, No. 3, 1996
✓	21	Chaudhary et al., "A recombinant immunotoxin consisting of two antibody variable domains fused to <i>Pseudomonas</i> exotoxin", Letters to Nature, Vol. 339, pp. 394-397, 1989
✓	22	Behr et al., "Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA", Proc. Natl. Acad. Sci, Vol. 86, pp. 6982-6986, 1989
✓	23	Debrick et al., "Macrophages As Accessory Cells For Class I MHC-Restricted Immune Responses", The Journal of Immunology, Vol. 147, No. 9, pp. 2846-2851, 1991
✓	24	Kovacovics-Bankowski et al., "A Phagosome-to-Cytosol Pathway for Exogenous Antigens Presented on MHC Class I Molecules", Science Reports, Vol. 267, pp. 243-246, 1995
✓	25	Kovacovics-Bankowski et al., "Efficient major histocompatibility complex class I presentation of exogenous antigen upon phagocytosis by macrophages", Proc. Natl. Acad. Sci, Vol. 90, pp. 4942-4946, 1993
✓	26	Racoosin et al., "M-CSF-induced macropinocytosis increases solute endocytosis but not receptor-mediated endocytosis in mouse macrophages", Journal of Cell Science, pp. 867-880, 1992, vol. 102
✓	27	Finke et al., "Increase of proliferation rate and enhancement of antitumor cytotoxicity of expanded human CD3+ CD56+ immunologic effector cells by receptor-mediated transfection with the interleukin-7 gene", Gene Therapy, pp. 31-39, 1998, vol. 5
✓	28	Haensler et al., "Polyamidoamine Cascade Polymers Mediate Efficient Transfection of Cells in Culture", Bioconjugate Chem, pp. 372-379, 1993, vol. 4
✓	29	Deo et al., "Clinical significance of IgG Fc receptors and FcγR-directed immunotherapies", Immunology Today, Vol. 18, pp. 127-135, 1997
✓	30	Pessino et al., "Molecular Cloning of NKp46: A Novel Member of the Immunoglobulin Superfamily Involved in Triggering of Natural Cytotoxicity", J. Exp. Med, Vol. 188, No. 5, pp. 953-960, 1998
✓	31	Kawano et al., "Natural killer-like nonspecific tumor cell lysis mediated by specific ligand-activated Vα14 NKT cells", Proc. Natl. Acad. Sci., Vol. 95, pp. 5690-5693, 1998
✓	32	McCoy et al., "Pulmonary Inflammation Induced by Incomplete or Inactivated Adenoviral Particles", Human Gene Therapy, pp. 1553-1560, 1995, vol. 6
✓	33	Cotten et al., "Non-viral approaches to gene therapy", Current Biology, pp. 705-710, 1993
✓	34	Felgner et al., "Cationic liposome-mediated transfection", Nature, Vol. 337, pp. 387-388, 1989
✓	35	Felgner et al., "Lipofection: A highly efficient, lipid-mediated DNA-transfection procedure", Proc. Natl. Acad. Sci, Vol. 84, pp. 7413-7417, 1987
✓	36	Felgner et al., "Cationic Lipid-Mediated Delivery of Polynucleotides", Methods, pp. 67-75, 1993, vol. 5
✓	37	Gao et al., "A Novel Cationic Liposome Reagent For Efficient Transfection of Mammalian Cells", Biochemical and Biophysical Research Communication, Vol. 179, No. 1, pp. 280-285, 1991
✓	38	Groettrup et al., "Peptide antigen production by the proteasome: complexity provides efficiency", Immunology Today, Vol. 17, No 9, pp. 429-435, 1996
✓	39	Polydefkis et al., "Anchor Sequence-Dependent Endogenous Processing of Human Immunodeficiency Virus 1 Envelope Glycoprotein gp160 For CD4+ T Cell Recognition", J. Exp Med, Vol. 171, pp. 875-887, 1990
✓	40	Sallusto et al., "Dendritic Cells Use Macropinocytosis and the Mannose Receptor to Concentrate Macromolecules in the Major Histocompatibility Complex Class II Compartment: Downregulation by Cytokines and Bacterial Products", J. Exp. Med, Vol. 182, pp. 389-400, 1995
✓	41	Melero et al., "Amplification of tumor immunity by gene transfer of the co-stimulatory 4-1BB ligand: synergy with the CD28 co-stimulatory pathway", Eur. J. Immunol., pp. 1116-1121, 1998, vol. 28
✓	42	Whitton et al., "A 'String-of-Beads' Vaccine, Comprising Linked Minigenes, Confers Protection from Lethal-Dose Virus Challenge", Journal of Virology, vol. 67, No. 1, pp. 348-352, 1993

2/26/06

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

2/26/06	43	Svensson et al., "Bone Marrow-Derived Dendritic Cells Can Process Bacteria for MHC-I and MHC-II Presentation to T Cells", <i>The Journal of Immunology</i> , pp. 4229-4236, 1997
2/26/06	44	Norbury et al., "Constitutive macropinocytosis allows TAP-dependent major histocompatibility complex class I presentation of exogenous soluble antigen by bone marrow-derived dendritic cells", <i>Eur. J. Immunol.</i> , pp. 280-288, 1997, <i>vol. 27</i>
	45	Routledge et al., "A humanized monovalent CD3 antibody which can activate homologous complement", <i>Eur. J. Immunol.</i> , pp. 2717-2725, 1991, <i>vol. 21</i>
	46	Sousa et al., "Phagocytosis of Antigens by Langerhans Cells In Vitro", <i>J. Exp. Med.</i> , Vol. 178, pp. 509-519, 1993
	47	Klein et al., "Sphingolipid Activator Protein D ( <i>sap-D</i> ) Stimulates the Lysosomal Degradation of Ceramide <i>In Vivo</i> ", <i>Biochemical and Biophysical Research Communications</i> , Vol. 200, No. 3, pp. 1440-1448, 1994
	48	Murao et al., "A Protein Complex Expressed during Terminal Differentiation of Monomyelocytic Cells Is an Inhibitor of Cell Growth", <i>Cell Growth &amp; Differentiation</i> , Vol. 1, pp. 447-454, 1990
	49	Murthy et al., "In Vitro Candidastatic Properties of the Human Neutrophil Calprotectin Complex", <i>Journal of Immunology</i> , Vol. 151, No. 11, pp. 6291-6301, 1993
	50	Murdoch et al., "Primary Structure of the Human Heparan Sulfate Proteoglycan from Basement Membrane (HSPG2/Perlecan)", <i>The Journal of Biological Chemistry</i> , Vol. 267, No. 12, pp. 8544-8557, 1992
2/26/06	51	Zaltash et al., "Secondary structure and limited proteolysis give experimental evidence that the precursor of pulmonary surfactant protein B contains three saposin-like domains", <i>FEBS Letters</i> , pp. 1-4, 1998, <i>vol. 423</i>
	52	Lagasse et al., "Cloning and Expression of Two Human Genes Encoding Calcium-Binding Proteins That Are Regulated during Myeloid Differentiation", <i>Molecular and Cellular Biology</i> , Vol. 8, No. 6, pp. 2402-2410, 1988
	53	Kleinschmidt et al., "Complete Amino-Acid Sequence of the Naturally Occurring A <sub>2</sub> Activator Protein for Enzymic Sphingomyelin Degradation: Identity to the Sulfatide Activator Protein (SAP-1)", <i>Biol. Chem. Hoppe-Seyler</i> , Vol. 369, pp. 1361-1365, 1988
	54	O'Brein et al., "Saposin proteins: structure, function, and role in human lysosomal storage disorders", <i>The FASEB Journal</i> , Vol. 5, pp. 301-308, 1991
	55	Roda et al., "Production of a High-Titer Antibody to Bile Acids", <i>Journal of Steroid Biochemistry</i> , Vol. 13, pp. 449-454, 1980
	56	Scheibenbogen et al., "A Sensitive ELISPOT Assay for Detection of CD8+ T Lymphocytes Specific for HLA Class I-binding Peptide Epitopes Derived from Influenza Proteins in the Blood of Healthy Donors and Melanoma Patients", <i>Clinical Cancer Research</i> , Vol. 3, pp. 221-226, 1997
	57	Misasi et al., "Colocalization and Complex Formation Between Prosaposin and Monosialoganglioside GM3 in Neural Cells", <i>Journal of Neurochemistry</i> , Vol. 71, No. 6, pp. 2313-2321, 1998
	58	Versteeg, "NK cells and T cells: mirror images?", <i>Immunology Today</i> , Vol. 13, No. 7, pp. 244-247, 1992
	59	George et al., "Disease susceptibility, transplantation and the MHC", <i>Immunology Today</i> , Vol. 16, No. 5, pp. 209-211, 1995
	60	Brittenden et al., "Natural Killer Cells and Cancer", <i>Cancer</i> , Vol. 77, No. 7, pp. 1226-1243, 1996
	61	Blazar et al., "Anti-CD3 $\epsilon$ F(ab) <sub>2</sub> Fragments Inhibit T Cell Expansion in Vivo During Graft-Versus-Host Disease or the Primary Immune Response to Nominal Antigen <sup>1,2</sup> ", <i>The Journal of Immunology</i> , pp. 5821-5833, 1997
2/26/06	62	McLachlan et al., "Evaluation in vitro and in vivo of cationic liposome-expression construct complexes for cystic fibrosis gene therapy", <i>Gene Therapy</i> , pp. 614-622, 1995, <i>vol. 2</i>
	63	Behr et al., "Efficient gene transfer into mammalian primary endocrine cells with lipopolyamine-coated DNA", <i>Proc. Natl. Acad. Sci.</i> , Vol. 96, pp. 6982-6986, 1989
2/26/06	64	Waring et al., "Porcine Cerebroside Sulfate Activator (Saposin B) Secondary Structure: CD, FTIR, and NMR Studies", <i>Molecular Genetics and Metabolism</i> , pp. 14-25, 1998, <i>vol. 63</i>
	65	Anderson et al., "Antibodies to DNA", <i>BioEssays</i> , Vol. 8, No. 2, pp. 69-75, 1988
	66	Kohler et al., "Continuous cultures of fused cells secreting antibody of predefined specificity", <i>Nature</i> , Vol. 256, pp. 495-497, 1975
	67	Yajima et al., "SiC and Si <sub>3</sub> N <sub>4</sub> sintered bodies with new borodiphenylsiloxane polymers as binder", <i>Nature</i> , Vol. 266, pp. 522-524, 1977

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

68	Lee et al., "Functional groups on 'Z' DNA recognized by monoclonal antibodies", FEBS Letters, Vol. 168, No. 2, pp. 303-306, 1984
69	Malfoy et al., "Interaction between Antibodies to Z-Form Deoxyribonucleic Acid and Double-Stranded Polynucleotides", Biochemistry, pp. 5463-5467, 1982
70	Traincard et al., "Calibration of target amounts of DNA in hybridization experiments using monoclonal anti-nucleoside antibodies", Molecular and Cellular Probes, pp. 27-38, 1989, vol. 3
71	Traincard et al., "Monoclonal anti-nucleoside antibodies Characterization and application in an enzyme immunoassay of single-stranded DNA", Journal of Immunological Methods, pp. 83-91, 1989, vol. 123
72	Cros et al., "Monoclonal antibodies targeted to $\alpha$ -oligonucleotides. Characterisation and application in nucleic acid detection", Nucleic Acids Research, Vol. 22, No. 15, pp. 2951-2957, 1994
73	Li et al., "Presence of Activator Proteins for the Enzymic Hydrolysis of GM <sub>1</sub> and GM <sub>2</sub> Gangliosides in Normal Human Urine", Am J Hum Genet, pp. 629-634, 1983, vol. 35
74	Li et al., "A Protein Activator for the Enzymic Hydrolysis of GM <sub>2</sub> Ganglioside", The Journal of Biological Chemistry, Vol. 256, No. 12, p. 6234-6240, 1981
75	Li et al., "An Activator Stimulating the Enzymic Hydrolysis of Sphingoglycolipids", The Journal of Biological Chemistry, Vol. 251, No. 4, pp. 1159-1163, 1976
76	Kishimoto et al., "Saposins: structure, function, distribution, and molecular genetics", Journal of Lipid Research, Vol. 33, pp. 1255-1267, 1992
77	Mallet et al., "Enzyme-Linked Oligosorbent Assay for Detection of Polymerase Chain Reaction-Amplified Human Immunodeficiency Virus Type 1", Journal of Clinical Microbiology, Vol. 31, No. 6, pp. 1444-1449, 1993
78	Saintigny et al., "Differential Expression of Calgranulin A and B in Various Epithelial Cell Lines and Reconstructed Epidermis", The Journal of Investigative Dermatology, pp. 639-644, 1992
79	Goebeler et al., "The monoclonal antibody MAC387 detects an epitope on the calcium-binding protein MRP14", Journal of Leukocyte Biology, Vol. 55, pp. 259-261, 1994
80	Qi et al., "Functional Human Saposins Expressed in <i>Escherichia coli</i> ", The Journal of Biological Chemistry, Vol. 269, No. 24, pp. 16746-16753, 1994
81	Yuziuk et al., "Specificity of Mouse GM <sub>2</sub> Activator Protein and $\beta$ -N-Acetylhexosaminidase A and B", The Journal of Biological Chemistry, Vol. 273, No. 1, pp. 66-72, 1998
82	DeGasperi et al., "Isolation and characterization of an activator protein for the hydrolysis of ganglioside GM <sub>2</sub> from the roe of striped mullet ( <i>Mugil cephalus</i> )", Biochem J., pp. 777-783, 1989
83	Vogel et al., "Identity of the Activator Proteins for the Enzymatic Hydrolysis of Sulfatide, Ganglioside GM <sub>1</sub> , and Globotriaosylceramide", Archives of Biochemistry and Biophysics, Vol. 259, No. 2, pp. 627-638, 1987
84	Hirabayashi et al., "The Protein Activator Specific for the Enzymic Hydrolysis of GM <sub>2</sub> Ganglioside in Normal Human Brain and Brains of Three Types of GM <sub>2</sub> Gangliosidosis", Journal of Neurochemistry, Vol. 40, No. 1, pp. 168-175, 1983
85	Bos et al., "Copurification of P6, MRP8, and MRP14 from Human Granulocytes and Separation of Individual Proteins <sup>1</sup> ", Protein Expression and Purification, pp. 313-318, 1998, vol. 13
86	"Les Transcrits Subissent une Maturation Nucleaire Qui Debutte Avant Que La Transcription Ne Soit Achevee", Du Genotype Au Phenotype, pp. 73-77
87	"Molecular cloning-A laboratory manual", CSH Laboratory, Cold Spring, 1982, Table of Contents only pp. v-x
88	Remington's Pharmaceutical Sciences, Mack Publishing, 16 <sup>th</sup> Edition, 1980, Table of Contents only, p. xiii
89	Li et al., "Characterization of a Nonspecific Activator Protein for the Enzymatic Hydrolysis of Glycolipids*", Journal of Biological Chemistry, Vol. 263, No. 14, pp. 6588-6591, 1988


EXAMINER

DATE CONSIDERED

2/26/06

Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Date: June 4, 2002

Sheet 1 of 1

Form PTO-1449 (REV. 8-83)		US Dept. of Commerce PATENT & TRADEMARK OFFICE		ATTY DOCKET NO. 111664		APPLICATION NO. 10/030,937	
INFORMATION DISCLOSURE STATEMENT  (Use several sheets if necessary)				APPLICANTS Dominique ROECKLIN et al.			
				FILING DATE May 24, 2002			
U.S. PATENT DOCUMENTS							
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	
FOREIGN PATENT DOCUMENTS							
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)							
<i>L</i>	1	Furst et al., "The complete amino-acid sequences of human ganglioside GM2 activator protein and cerebroside sulfate activator protein", Eur. J. Biochem, pp. 709-714, 1990					
<i>L</i>	2	Yang et al., "Monoclonal T Cells Identified in Early NOD Islet Infiltrates", Immunity, Vol. 4, pp. 189-194, 1996					
EXAMINER <i>[Signature]</i>				DATE CONSIDERED <i>2/26/06</i>			
Examiner: Initial if citation considered, whether or not citation is in conformance with M.P.E.P. 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

Date: June 11, 2002*2/26/06*